

Safety Data Sheet

Formula No: Revision Date: Superseded Date: 2250 2015/05/01

WeM

Mirachem 250 Rust & Scale Remover

IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

Product name:

Mirachem 250 Rust & Scale Remover

Identified uses:

Concentrated industrial acid cleaner for use in removing rust and scale. Use only for the

purposes indicated on the label.

Company;

Mirachem, LLC P.O. Box 14059

Phoenix, Arizona 85063-4059

Email address:

SDS@mirachem.com

Customer service:

USA (English)

Telephone:

1 (800) 847-3527

Emergency phone number(s)

USA (English)

Telephone:

1 (800) 847-3527

Chemtrec (US)

Telephone:

1 (800) 424-9300

HAZARD(S) IDENTIFICATION

GHS Classification

ACUTE AQUATIC HAZARD:

Category 3

GHS Label Elements

Pictogram Signal word None required. None required

Hazard statements

Hamful to aquatic life. (H402)

Precautionary Statements

Prevention:

Avoid release to the environment, (P273)

Response: Storage:

None required.

None required.

Disposei:

Dispose of in accordance with local, state and federal regulations. (P501) See SECTION 13 - DISPOSAL CONSIDERATIONS, for additional waste disposal

information.

COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization:

Mixture (water based)

<u>ingredient:</u>

Phosphoric Acid

CAS Number

<u>Percent</u>

7664-38-2

10

FIRST AID MEASURES

First aid responders should pay attention to self-protection and use the recommended Protection of First-Aiders:

protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to SECTION 8 - EXPOSURE CONTROLS / PERSONAL

PROTECTION, for specific personal protective equipment.

No adverse effects are anticipated. Remove to fresh air, if breathing is difficult, get Inhalation:

medical assistance.

May cause mild temporary initation. If eye irritation develops, rinse cautiously with water Eye contact:

for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Get medical attention if eye initation persists.

No adverse health effects are anticipated. If swallowed, treat symptomatically and Indestion:

supportively. Wash out mouth with water. Do not induce vomitting unless directed to do so by medical personnel. If adverse health effects develop, persist or are severe, seek medical attention if you feel unwell. Never give anything by mouth to an unconscious

person.

No adverse effects expected. Prolonged or repeated exposure may cause mild irritation Skin contact:

or drying of skin. If on skin, wash with plenty of water. If initiation develops or persists,

get medical attention.

Symptoms and effects, both acute

Aside from the information provided above and below, no additional symptoms and effects are anticipated. and delayed:

No specific antidote. Treatment of exposure should be directed at the control of Notes to physician: symptoms and the clinical condition of the patient. Skin contact may aggravate pre-

existing dermatitis.

FIRE-FIGHTING MEASURES

Water fog or fine epray. Dry chemical fire extinguíshers. Carbon dioxide fire Suitable extinguishing media:

extinguishers. Foam, Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be

less effective. Do not use direct water stream. May spread fire.

In a fire or if heated, a pressure increase may occur and the container may burst. Unusual fire and explosion hazards:

Decomposition products may include the following materials; carbon dioxide, carbon Hazardous thermal decomposition monoxide, nitrogen oxides.

products: Promptly lectate the scene by removing all persons from the vicinity of the incident if Special precautions for fire fighters:

there is a fire. No action shall be taken involving personal risk or without suitable training.

Special protective equipment for

fire fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Mirachem 250 Rust and Scale Remover Formulation Number 2250

Revision Date:

2015/05/01

Page

2 of 7

ACCIDENTAL RELEASE MEASURES 6.

Personal precautions, protective equipment and emergency procedures:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Use appropriate safety equipment, For additional information, refer to SECTION 8 - EXPOSURE CONTROLS AND

PERSONAL PROTECTION. Refer to SECTION 7 - HANDLING AND STORAGE, for

additional precautionary measures.

Environmental precautions:

Prevent from entering into soil, ditches, storm sewers, waterways and/or ground water. See SECTION 12 - ECOLOGICAL INFORMATION for additional information.

Methods for cleaning up:

Contain spilled material; keep from entering soil, surface waters or sewers.

Small Spills: Clean up with absorbent and collect absorbent for disposal in accordance with Federal. State or local disposal requirements.

Large Splits: Dike or otherwise contain splited material to insure runoff does not reach a waterway. Collect and drum off material for disposal in accordance with Federal, State or local disposal requirements. Notify local, state or federal authorities if required. Rinse with water. Material may be neutralized for safer handling with sodium carbonate (soda ash), See SECTION 13 - DISPOSAL CONSIDERATIONS and SECTION 15 -

REGULATORY REQUIREMENTS for additional information.

HANDLING AND STORAGE

Precautions for safe handling:

Avoid contact with eyes. Keep container closed, Promptly clean up splits. See SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION for additional information.

Conditions for safe storage. Including incompatibilities:

Keep containers tightly closed. Protect from freezing; may rupture or degrade product. Store between 40°F (4°C) and 110°F (43°C). Keep out of reach of children.

The shelf life for unopened containers stored under the above conditions is 60 months from the date on the package.

Recommended packaging materials:

Use original container or clean plastic (polyethylene) containers. Do not store in steel containers.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

Phosphoric Acid

ACGIH TLV

1 നg/m³

Engineering controls:

Good ventilation should be sufficient to control worker exposure to airborne

contaminants. Provide additional ventilation as necessary to keep airborne

concentrations of vapors/mists below threshold limit values. Provide eye wash station

within close proximity to product usage.

Eye/Face protection:

Wear safety glasses with side shields and/or chemical goggles where conditions may

çause eye exposure.

Skin protection:

Under intended handling conditions, no protective clothing should be needed. Use protective clothing as required for the situation. Where diluted product is heated to >

120°F, wear thermal protective gloves, sleeves and apron.

Hand protection:

Under intended handling conditions, no protective gloves are required. Use protective gloves as required for the situation. Nitrile, vinyl or latex gloves of 4 mit thickness or greater are recommended. Where diluted product is heated to > 120°F, wear thermal protective gloves.

Respiratory protection:

Under intended handling conditions, no respiratory protection is needed.

Personal hygiche:

Use good personal hygiene. Do not consume or store food in the work area. Wash

hands before smoking or eating.

Mirachem 250 Rust and Scale Remover Formulation Number 2250

2016/05/01 Revision Date:

Page

3 of 7

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Essentially none Odor: Not avaitable Odor threshold: 1.0 - 2.0

pH: 1.0 - 2.0pH at use dilution (25%): Melting point:

Freezing point: Initial boiling point: Evaporation rate: Flash point:

Flammability: Flammable limits in air: Amber to dark brown liquid.

Relative density:

Not applicable to liquids 26°F (-3°C) 212°F (100°C) Not established

Will not burn Not classified Not established

Vapor ртезвите @ 20°С @ 37°C

Vapor density (air = 1) Solubility In water:

Partition coefficient: Auto-Ignition temperature: Decomposition temperature: Viscosity @ 20°C: Liquid density @ 20°C:

VQC Content:

< 0,005 mm Hg* Not established

1.0

Not established Complete Not established Not established Not established

< 100 cSt 1.105 g/cm³ 0.0 lb./gai)

* Absolute (calculated)

10. STABILITY AND REACTIVITY

Chemical stability & reactivity:

Possibility of hazerdous reactions:

Conditions to avoid:

Incompatible materials:

Hazardous decomposition

products:

The product is stable.

Under normal conditions of storage and use, hazardous polymerization will not occur.

High strength afkaline materials will neutralize product.

Avoid contact strong bases or strong oxidizers.

Under normal conditions of storage and use, hazardous decomposition products should

not be produced. Thermal decomposition may produce CO2

11. TOXICOLOGICAL INFORMATION

The GHS health hazard classifications have been calculated adhering to GHS guidelines for mixtures. The Acute Toxicity Estimates for this mixture (ATE_{mix}) are representative of these calculations.

Acute Toxigity:

Ore:: Dermal: Inhalation:

Not classified Not classified Not classified LD_{50} (Rat) LD₅₀ATE_{mbx}

LD₅₀ (Rat)

> 6000 mg/kg > 2,500 mg/kg > 133 mg/s

Not applicable.

Other routes: Skin conosion/Initation:

D.O.T. Corrosivity, Skin Initiation on rabbits, 49 CFR 173.240 Initation Index = 0.0 Non-initating to skin

Skin Imitation Test (OECD TG 431):

Non-instant

Serious eye damage/fritation:

Eye irritation (Rats, 16 CFR 1500.42)

Cornea and his cleared at 48 hours, all imitation cleared within 7 days.

Non-initating to eyes.

Bovine Comeai Opacity and Permeability Assay (SCOP):

Mild Irritant

Skin sensitization: Respiratory sensitizer:

No relevant data avallable. No relevant data avaitable.

Chronic Toxicity:

Mutagenicity: Carclnogenicity:

No component of this mixture is known to be a mutagen or genotoxin. No component of this mixture is listed by IARC, NTP, OSHA, or ACGIH as a

carcinogen.

Teratogenicity:

No component in this mixture is known to be a teratogen.

Developmental / fertility

effects:

No known effects or critical hazards

Specific Target Organ Toxicity

(STOT)

Single dose: Repeat exposure: No relevant data available. No relevant data available

Aspiration hazard:

No relevant data avallable.

Mirachem 250 Rust and Scale Remover Formulation Number 2250

Revision Date:

2015/05/01

Page

4 of 7

12. ECOLOGICAL INFORMATION

The GHS environmental hazard classifications have been calculated adhering to GHS guidelines for mixtures. The Acute Aquatic Toxicity Estimates for this mixture (ATE_{mix}) are representative of these calculations.

Aquatic Toxicity:

Acute Aguatic Toxicity

Fish Crustasea Category 3

ECso ATEmix EC₅₀ ATE_{mix} > 10 but < 100 mg/l

Algae

Not classified Category 3

EC₅₀ ATE_{mb}

> 100 mg/š > 10 but < 100 mg/l

Chronic Aquatic Toxicity

No relevant data available.

Persistence and degradability;

The individual components of this mixture are readily biodegradable.

Bioaccumulative potential:

No relevant data available,

Mobility in soil:

No relevant data avaitable.

13. DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. Rinse container before disposal. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff with soil and waterways.

This product does not meet RCRA's characteristic definition for ignitability, or reactivity, and none of the materials used in this product are listed in 40 CFR 261.33. The pH of this product is equal to or less than 2.0 and is therefore characterized under RCRA as a corrosive. Neutralization with time or soda ash prior to disposal may be required.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, State and local waste disposal requirements may be more restrictive or otherwise different from Federal laws and regulations.

14. TRANSPORT INFORMATION

UN Numbert

UN Proper Shipping Name:

ADR (EU Carriage):

AND/ADNR (Inland water):

IMO/IMDG (Marine):

DOT Shipping Name:

NMFC Freight Class: HS Tariff Classification

(Schedule B)

Special Precautions:

N/A

N/A

Transportation Hazard Class: UN Packing Group:

RID (Rall)

ICAO/IATA (Air)

Not regulated Not regulated

N/A

None

DOT Hazard Classification:

Compound, Cleaning Fluid, NOI 48580 Sub 3 3402.90.5030

Not regulated

Not regulated

Not regulated

Non-regulated

No known special precautions.

Mirachem 250 Rust and Scale Remover Formulation Number 2250

Revision Date: Page

2015/05/01 5 of 7

15. REGULATORY INFORMATION

<u>US Federal Requiations</u>

SARA	YMA	Ш
	1 1 1 1 1 1	100

Section 302 - Extremely Hazardous Substance

This product does not contain chemicals at levels which require reporting under this statue.

Section 302.4 & 304; CERCLA: Hazardous

Sections 311 & 312

Releases of this product to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund

Substances

Amendments and Reauthorization Act (SARA) Title III Section 304.

Immediate (scute) Health Hazard Delayed (chronic) Health Hazard Fire Hazard

No No

Reactive Hazard

No No

Mει

į,

Sudden Release of Pressure

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Phosphoric acid (planning threshold of 10,000 pounds)

Immediate and acute health hazard

Section 313

This product contains phosphoric acid (CAS No. 7664-38-2) at a 10% level.

TSCA

All chemical substances in this material are included on or exempted from listing on the

This product is considered a Low-VOC cleaner.

reproductive toxicity under Proposition 65.

Management District Regulation 8, Rule 16.

communication of July 5, 2011.

TSCA Inventory of Chemical Substances.

US State Regulations

Arizona

Maricopa County Rule 331

California

California Safe Drinking Water

and Toxic Enforcement Act

(Proposition 65)

BAAQMD

SCAQMD

Georgia

Rule 391-3-02

Michigan

Rule R 336.1281 &

R 336,1212

product is exempt from Rule 391-3-02. The absolute (composite) vapor pressure of this product in either concentrated or diluted form is less than 0.1 mm Hg under standard

Management District (SCAQMD) Rule 1171 for Solvent Cleaning. This product is greater than 80% water which qualifies this as an

"Aqueous Cleaning Solvent". As an "Aqueous Cleaning Solvent" this

conditions. Part (e) under R 336.1281 exempts this product from the requirement for a "Permit to Install". The vapor pressure for this product exempts it from the recordkeeping requirements of R366.1212 as indicated in Part (3)(b) and clarified by MDEQ interoffice

This product does not contain any materials currently listed by

California as chemicals known to cause cancer or known to have

This product meets the requirements of the Bay Area Air Quality

This product meets the requirements of South Coast Air Quality

Pennsylvania

Hazardous Substances List

Texas

Texas Rula 106.454 --Degreasing Units

This product contains the following chemicals which require reporting under this statue; Phosphoric acid (CAS No. 7664-38-2)

Under this rule, this product is classified as a zero VCC product. The true vapor pressure is calculated to be < 0.6 poursds per square inch, absolute (psia) at an operating temperature of 100°F. This product meets the requirements of section (2)(C) for a remote reservoir cleaner and as such Section (1)(A) (I) and (ii) do not apply. Completion of

Form PI-7 and monthly record keeping is not required.

Mirachem 250 Rust and Scale Remover Formulation Number 2250

Revision Date:

Page S of 7

2015/05/01

International Regulatory Information

Notice: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warrantee, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with their Federal, State/Province, and local laws. The following specific information is made for the purpose of complying with numerous specific foreign regulations.

Country Substance (Chemical) Inventories

Canada

DSL

The individual components of this mixture are listed.

United States

TSCA

All chemical substances in this material are included on or exempted

from listing on the TSCA inventory of Chemical Substances.

Other International Requistions:

Салефа

Non-controlled under WHMIS.

16. OTHER INFORMATION

HMIS Rating:



Protective Equipment

None

NFPA Rating:



All Information and Instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Mirachem shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current status of scientific and technical knowledge.

Mirachem 250 Rust and Scale Remover Formulation Number 2250

Revision Date:

2016/05/01 7 of 7

Page